

- * COLOUR COATED SHEET IN ALL BRANDS
- * C & Z PURLIN
- * DECKING SHEET / DECK PANELS
- *** UPVC SHEET**
- * ALUMINIUM SHEET
- * POLYCARBONATE SHEET
- * PUF PANEL
- * INSULATED SHEET
- * TURBO VENTILATOR
- * TILE PROFILE
- * ROOFING ACCESSORIES
















"Bhagwati Group" is serving since 1980 in Steel industry. Having three branches in Gujarat: Surat, Vapi and Ankleshwar. In Surat & Vapi we are manufacturer and supplier of all brands roofing sheet and accessories. In Ankleshwar we are authorised distributor of JSW Steel.



COLOUR COATED SHEET IN ALL BRANDS (TATA, JSW, AM/NS INDIA, JINDAL SABRANG, ULTRA COLOR SHINE, ULTRA STRONG)



TILE PROFILE / NALIYA DESIGN SHEET



JINDAL SABRANG SHEET



BARE SHEET / BGL SHEET (TATA / JSW)



ULTRA COLOR SHINE & ULTRA STRONG (4'3" & 3'6" FT WIDTH)



UPVC TILE PROFILE




INSULATED SHEET



JSW STEEL LTD. (JINDAL)

ULTRA COLOR SHINE & ULTRA STRONG

Ultra Color Shine is a brand of Bhagwati Steel Building. Which is available in 6 Nali (3'6"ft width) and 7 Nali (4'3" ft width)



PUF PANEL / SANDWICH PANEL

PUF Sheets, Sandwich Panel Sheets are prefabricated single pieces of rigid polyurethane foam sandwiched between two metal sheets. The PUF is glued to the metal sheets, providing an insulating effect. While sandwich panel roofing sheets are popular, they also find application in walling.






SPECIFICATIONS FOR PUFF PANEL

	30mm, 40mm, 50mm, 60mm, 80mm, 100mm, 120mm
Panel width available	1080mm in Roof / 1150mm in wall

C & Z PURLIN



C & Z Purlin members are made from Pre-Galvanized steel of 120/180/275 GSM coating and steel plates conforming to IS 1161/2062 or equivalent with minimum yield strenght of 340 MPA. All secondary members are available in a thickness range of 1.2 mm to 3.0 mm.

DECK PANELS

Deck Sheet is used as composite floor system. The steel deck profile sheet has a ribbed profile with embossment to interlock with concrete slabs, creating a reinforced concrete slab that serves dual purpose of permanent form and positive reinforcement.



- Steel Deck sheet used for Mezzanine floor and asd a composite floor system.
- Available in 0.8 mm, 1.0 mm and 1.2 mm.
- Avialable in Galvanized finish.

ALUMINIUM ROOFING SHEET (BALCO & JINDAL)

Thickness	0.60, 0.71, 0.91 mm
Width	3.50 ft (1100 mm)
Length	Customised
Quality	High Grade Aluminium
Colour	Natural silver (Bare Aluminium)



6 NALI / 9 NALI


UPVC SHEET

uPVC roofing sheets is the best solution for chemical industries or where corrosion is the prime constraint. uPVC sheet is a modern rigid three-layer Un-plasticized Poly Vinyl Chloride (uPVC) roofing sheets.



ROOFING ACCESSORIES

Colour Coated Roofing Accessories are ornaments of factory sheds. Perfect design of accessories assures the leak proof building.



ROOFING FASTENERS:

Self Drilling Cum Tapping Screws (SDT)






TURBO AIR VENTILATOR


Ventilation is crucial in removing harmful carbon dioxide gas and other unwanted fumes and replacing them with fresh air.



POLYCARBONATE SHEETS

Polycarbonate Sheets in a wide range of thicknesses and colours as well as in flat sheets, embossed, corrugated and multiwall.







☐ 76000 11850 / 98241 11850

bhagwati.roof@gmail.com
 ⊕ www.pebindia.in

SURAT : Plot No. B-5 4A & C, Sachin Udhyog Sahkari Sangh,

NR. Alfa Hotel, Sachin - Palsana Road, Sachin, SURAT- 394230



D 99246 16171 / 90334 651193

VAPI: 17, Daman Ganga Industrial Park, Dungra, Karwad Road, Vapi. E-mail: vapi.bhagwatiroof@gmail.com website: www.bhagwatiroof.in



© 99099 12499 / 76000 11850

ANKLESHWAR : 120-121/4-5, GIDC Industrial Estate, NH 48,NR.UPL 1,Bh-Civil Court, Ankleshwar GIDC, Ankleshwar, Gujarat - 393001.

aroofindia@gmail.com @ www.aroofindia.com